



SAFETY DATA SHEET

| | |
|---------------------|------------|
| DATE ISSUED: | 08-29-2022 |
|---------------------|------------|

1. PRODUCT AND COMPANY IDENTIFICATION

PRODUCT NAME: EZ TINT - SILVER, BLACK, MESA BUFF, PALOMINO, SANGRIA, SILVER SMOKE, SAHARA, WET SAND, PEWTER, SANDSTONE, BUFF, ESPRESSO BROWN, BAYOU, BRILLIANT BLUE, SAFETY YELLOW, RED ZONE, LA JOLLA, SAN DIEGO BUFF, SOUTHERN BLUSH, WET PEBBLE, CLAY, BROWN BAG, COBBLESTONE, DESERT TAN, BATTLESHIP, OMAHA TAN, WALNUT, BRICK RED, BROWN, HARVEST TAN, TERRACOTTA, TILE RED

MANUFACTURER:
CLASSIC COATINGS SYSTEMS
255 CITATION CIR.
CORONA, CA 92878
(951) 279-2600

24 HR. EMERGENCY TELEPHONE NUMBER: Emergency Response Service: (800) 535-5053

2. HAZARDS IDENTIFICATION

CLASSIFICATION

GHS Classification

Not classified

Pictogram:



Signal Word:

No signal word

GHS07

Hazard Statements:

No known significant effects or critical hazards

Prevention:

Not applicable

Response:

Not applicable

Storage:

Not applicable

Disposal:

Not applicable

3. COMPOSITION/INFORMATION ON INGREDIENTS

* Toxic chemical subject to the reporting requirements of section 313 of Title III and of 40 CFR 372.

4. FIRST AID MEASURES

EYES : Flush with water for 15 minutes. See a physician.

SKIN : Wash skin with soap and water. See a physician if irritation persists.

INGESTION : INGESTION: IF VICTIM IS CONSCIOUS GIVE TWO GLASSES OF WATER AND INDUCE VOMITING. CALL A PHYSICIAN (911) IMMEDIATELY.

INHALATION : INHALATION: REMOVE INDIVIDUAL TO FRESH AIR. IF BREATHING IS DIFFICULT, ADMINISTER OXYGEN. IF BREATHING HAS STOPPED GIVE ARTIFICIAL RESPIRATION. KEEP PERSON WARM, QUIET AND GET MEDICAL ATTENTION.

5. FIRE FIGHTING MEASURES

FLASH POINT AND METHOD : 460.00 DEG F COC

FLAMMABLE LIMITS : Not applicable

AUTOIGNITION TEMPERATURE : This product will not auto ignite.

FLAMMABLE CLASS : Not flammable.

GENERAL HAZARD : MATERIAL WILL NOT SUPPORT COMBUSTION IN THE WET STATE.

EXTINGUISHING MEDIA : Use foam, carbon dioxide or chemical firefighting apparatus.

FIRE FIGHTING PROCEDURES : The use of self-contained breathing apparatus is recommended for fire fighters. Water spray may be used for cooling containers to prevent possible pressure build-up and auto ignition or explosion when exposed to extreme heat. Avoid spreading burning liquid when using water for cooling containers.

FIRE EXPLOSION : CLOSED CONTAINERS MAY EXPLODE WHEN EXPOSED TO HEAT OR FLAME DUE TO PRESSURE BUILDUP. COOL CONTAINERS WITH WATER SPRAY.

6. ACCIDENTAL RELEASE MEASURES

SMALL SPILL : DIKE AND CONTAIN SPILLED MATERIAL. ELIMINATE IGNITION SOURCES SUCH AS FLAMES , PILOT LIGHTS, SPARKS AND FLARES. SCOOP UP MATERIAL AND PUT INTO SUITABLE CONTAINER.

LARGE SPILL : OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

ENVIRONMENTAL PRECAUTIONS

WATER SPILL : OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

LAND SPILL : OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

7. HANDLING AND STORAGE

GENERAL PROCEDURES : AVOID EXCESSIVE HEAT OR FLAME. DO NOT WELD ON OR NEAR CONTAINER.

KEEP CONTAINERS CLOSED WHEN NOT IN USE.

FOR INDUSTRIAL USE ONLY. KEEP OUT REACH FROM CHILDREN.

WASH HANDS BEFORE EATING.

8. EXPOSURE CONTROLS\PERSONAL PROTECTION

OSHA TABLE COMMENTS:

NL = Not Listed

EXPOSURE LIMITS

None

ENGINEERING CONTROLS: LOCAL EXHAUST RECOMMENDED.

MECHANICAL EXHAUST RECOMMENDED.

PERSONAL PROTECTIVE EQUIPMENT

EYES AND FACE: SAFETY GLASSES OR CHEMICAL SPLASH GOGGLES RECOMMENDED.

SKIN: IMPERMEABLE RUBBER GLOVES RECOMMENDED.

RESPIRATORY: USE NIOSH APPROVED ORGANIC VAPOR RESPIRATOR WHEN PERMISSIBLE EXPOSURE LIMIT IS EXCEEDED.

WORK HYGIENIC PRACTICES: AVOID EXCESSIVE HEAT OR FLAME. DO NOT WELD ON OR NEAR CONTAINER.

KEEP CONTAINERS CLOSED WHEN NOT IN USE.

FOR INDUSTRIAL USE ONLY. KEEP OUT REACH FROM CHILDREN.

WASH HANDS BEFORE EATING.

9. PHYSICAL AND CHEMICAL PROPERTIES

PHYSICAL STATE : Liquid

ODOR : Low odor

COLOR : Colored Paste Charcoal

pH : 8.0-9.0

COATING VOC: 0.0000

MATERIAL VOC: 0.0000

10. STABILITY AND REACTIVITY

STABLE : MATERIAL IS STABLE.

HAZARDOUS POLYMERIZATION : Product will not undergo polymerization.

CONDITIONS TO AVOID : High temperatures, open flames or sparks.

HAZARDOUS DECOMPOSITION PRODUCTS: THERMAL DECOMPOSITION MAY YIELD CARBON DIOXIDE AND/OR CARBON MONOXIDE,ACRID SMOKE OR METAL FUMES WHEN HEATED TO DECOMPOSITION.

INCOMPATIBLE MATERIALS : AVOID MIXING WITH STRONG OXIDIZERS OR REDUCING AGENTS.

11. TOXICOLOGICAL INFORMATION

GENERAL COMMENTS: None identified.

12. ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL INFORMATION: No data available

13. DISPOSAL CONSIDERATIONS

DISPOSAL METHOD: OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

EMPTY CONTAINER: OBEY ALL LOCAL, STATE AND FEDERAL REGULATIONS.

RCRA/EPA WASTE INFORMATION: Obey all local, state and federal regulations.

14. TRANSPORT INFORMATION

DOT (DEPARTMENT OF TRANSPORTATION)

PROPER SHIPPING NAME : Not regulated

TECHNICAL NAME : Paint related material

15. REGULATORY INFORMATION

UNITED STATES

SARA TITLE III (SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT)

311/312 HAZARD CATEGORIES:

FIRE : - PRESSURE GENERATING : -

REACTIVITY : - ACUTE : - CHRONIC : -

313 REPORTABLE INGREDIENTS: -


302/304 EMERGENCY PLANNING

EMERGENCY PLAN: This product does not contain any extremely hazardous substances.

16. OTHER INFORMATION

| HMIS RATING | |
|----------------------|---|
| Health: | 1 |
| Flammability: | 0 |
| Reactivity: | 0 |
| Personal Protection: | B |

NFPA CODES



MANUFACTURER DISCLAIMER : THE INFORMATION OR RECOMMENDATIONS CONTAINED HEREIN ARE BASED ON INFORMATION OBTAINED FROM SOURCES WHICH WE BELIEVE ARE RELIABLE AND ARE PROPRIETARY AND ARE FURNISHED SOLELY FOR THE USE OF OUR CUSTOMERS. SINCE IT IS IMPOSSIBLE FOR US TO DETERMINE THE PRECISE CONDITIONS UNDER WHICH OUR PRODUCTS WILL BE USED, NEITHER CLASSIC COATINGS SYSTEMS NOR ITS AFFILIATES CAN ACCEPT RESPONSIBILITY FOR LOSS, INJURY, OR OTHER DAMAGES RESULTING FROM THE USE OF THIS PRODUCT OR ANY OTHER INFORMATION PROVIDED BY US. USERS ARE ADVISED TO PERFORM THEIR OWN TESTS TO DETERMINE THE SAFETY, SUITABILITY, AND RELEVANCE OF FEDERAL AND LOCAL LAW TO THE PRODUCT AS IT IS TO BE USED BY THEM. THEREFORE, NO GUARANTEE OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING THOSE OF FITNESS OR MERCHANTABILITY, ARE MADE BY CLASSIC COATINGS SYSTEMS OR ITS AFFILIATES WITH REGARD TO ANY OF THEIR PRODUCTS.

END OF SAFETY DATA SHEET